

Anti-h IL-6 2707 SPTN-5

Product overview

Catalog number	100798
Specificity	Antibody recognizes human interleukin-6 (IL-6)
Description	Monoclonal mouse antibody, cultured <i>in vitro</i> under conditions free from animal-derived components.
Product buffer solution	50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.095 % NaN ₃ as a preservative
Shelf life and storage	36 months from manufacturing at 2–8 °C
Subclass	IgG ₁
Analyte description	IL-6 is an interleukin that acts as both a pro-inflammatory and anti-inflammatory cytokine. It is secreted by T cells and macrophages to stimulate immune response to trauma, especially burns or other tissue damage leading to inflammation. IL-6 is relevant to many disease processes such as diabetes, atherosclerosis, depression, Alzheimer's Disease, systemic lupus erythematosus, cancer, and rheumatoid arthritis.

Parameters tested on each lot

Product appearance	Liquid, may turn slightly opaque during storage
Product concentration	5.0 mg/ml (+/-10 %)
Immunoreactivity	80–120 % compared to the reference sample in an FIA test
IEF Profile	5.9–6.9
Purity	≥ 95 %

Kinetic parameters

Association rate constant	6.9 x 10 ⁶ 1/Ms
Dissociation rate constant	7.0 x 10 ⁻⁵ 1/s
Affinity constant	$K_A = 9.8 \times 10^{10}$ 1/M $K_D = 4.8 \times 10^{-11}$ M (= 0.05 nM)
Determination method	BLI (Octet RED96e)
Determination antigen	IL-6, Medix Biochemica (Cat 341-36)



Cross-reactivities Not Determined (N/D)

Epitope N/D

Pair recommendations

CAPTURE	DETECTION						
	2703	2704	2706	2707	2708	2709	B-F6
2703	-	+	-	+	+	+	+
2704	+	-	+	+	+	+	+
2706	-	-	-	+	+	-	-
2707	+	+	+	-	+	+	+
2708	-	+	-	+	-	+	-
2709	-	+	-	+	+	-	-
B-F6	-	-	-	-	+	-	-

Following pairs are especially recommended for the below mentioned assays:

FIA: 2704 (capture) – 2709 (detection), 2704 – 2708, 2707 – 2709 and 2707 – 2708

LF: 2704 (membrane) – 2707 (particles), 2707 – 2704, 2708 – 2704, 2708 – 2707, 2709 – 2704, and 2709 – 2707

Please note that pair recommendations are based on results obtained by our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations are only indicative.

Platforms tested

FIA, LF

Antigens tested

Recombinant IL-6 antigen, Medix Biochemica 341-36 and 715.H01

Product stability

TEMPERATURE, TIME	RESULT
-70 °C, 21 days	OK
-20 °C, 21 days	OK
+4 °C, 21 days	OK
+35 °C, 21 days	OK
+45 °C, 7 days	OK

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. Please note that the shelf life given on the first page is based on real time stability testing at 2–8 °C in the product buffer.

Miscellaneous

-

References

-

